

Material Safety Data Sheet

<u>Hazard Rating</u> (0=None, 4=Extreme)

Health

• Flammability

• Reactivity

MSDS 8007, Revised 05/23/2008

PRODUCT IDENTIFICATION Emergency Phone Number: 312/807-2000

Product Name:

Professional Grade Ice Melter Blend

2. COMPOSITION / INFORMATION ON INGREDIENTS

CAS#

Sodium Chloride 7647-14-5 Major Component

Calcium Chloride 10043-52-4

3. HEALTH HAZARD DATA

Effects of Overexposure:

Ingestion: Low Toxicity if swallowed in small amounts. Swallowing

large amounts can result in gastrointestinal irritation and

may cause vomiting and/or diarrhea.

Skin Contact: Brief Contact is non-irritating. Prolonged contact may cause

skin irritation, especially when skin is moist, scratched or cut.

Eye Contact: May cause severe eye irritation or corneal injury.

Inhalation: Dust may cause irritation to nose and throat, and symptoms may include coughing,

dryness and sore throat. Vapors are unlikely due to physical properties.

Acute Systemic Effects: Dehydration and congestion may occur in internal organs. Hypertonic salt solutions

can produce inflammatory reactions in the gastrointestinal tract. For the major components: Salt LD50 (rat) = 3,000 mg/kg, $CaCl_2$ LD50 (rat) = 1,000 mg/kg

Chronic Systemic Effects: Acute effects may be delayed.

4. EMERGENCY AND FIRST AID PROCEDURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes; remove contact

lenses. Call a physician if irritation persists.

Skin Contact: Wash exposed area with soap and water. Get medical advice if irritation develops.

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting. If large amounts were swallowed, get medical advice.

FIRE AND EXPLOSION HAZARD DATA

This material does not burn. If exposed to fire from another source use suitable extinguishing agent for that fire.

6. REACTIVITY DATA

Stability:	X Stable	Unstable
------------	----------	----------

Stable and inert under normal conditions. No hazardous polymerization can occur. No hazardous decomposition products or conditions. Material is hygroscopic.

Materials to Avoid: Strong acids and strong oxidizing agents.

7. PHYSICAL DATA

Appearance: Off white granules & flakes pH (10 %): 8.5 - 9.5

Odor: None % Non-Volatile: 100

Bulk Density: 1.0 - 1.2 g/mL Vapor Pressure (mm Hg): Negligible

Solubility in Water: All ingredients are soluble. Boiling Point (760 mm Hg): Not applicable

8. SPILL OR LEAK PROCEDURES

Response to Small Spills: Sweep up and containerize for reclamation or disposal. Collect in suitably

labeled containers. Flush residue with plenty of water.

Response to Large Spills: Shovel and sweep up; containerize for reclamation or disposal. Collect in

suitably labeled containers. Flush residue with plenty of water.

Hazards to be Avoided: None.

Disposal Methods: Whatever cannot be saved for reclamation may be delivered to an approved

waste disposal facility or if local ordinances allow, can be dissolved in sufficient amounts of water to meet water quality standards, and flushed down a sewer

drain. Ensure compliance with local, state and federal regulations

9. SPECIAL PROTECTION INFORMATION

Respiratory Protection: Atmospheric dust should be kept below the exposure guideline or TWA of 10 mg/m³. For

conditions of use where exposure to the dust is apparent, a NIOSH approved dust/mist respirator may be worn or other air-purifying respirators, such as a particulate filter. For

emergencies, a self-contained breathing apparatus may be necessary.

For Hands, Body: If deemed necessary, wear protective gloves and clean body-covering clothing. Use

gloves that are chemically resistant to this material, such as Neoprene, vinyl (PVC) or

nitrile/butadiene rubber (NBR).



For Eyes: If deemed necessary, use chemical safety glasses or goggles. Contact lenses should

not be worn when working with this material. For dusty operations or when handling solutions of the material, wear chemical goggles. Eye wash fountain or water for eye

washing should be available.

Ventilation: Provide general and/or local exhaust to control airborne levels below exposure

quidelines.

10. SPECIAL PRECAUTIONS

Transport in dry equipment; store in dry location. Handling procedures should minimize generation of airborne dust. Dust respirator as appropriate. Exposure to moisture may

generate heat.

11. LABELING INFORMATION

DOT Shipping Name: Not regulated

Additional Product Label: Not applicable

DOT Label: Not applicable

Warning: None

UN No.: Not applicable

12. USER'S RESPONSIBILITY

The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations. Nothing contained herein is to be construed as a recommendation for use in violation of any patents or of applicable laws or regulations.

