Page: 1

(000000-000000- -5414

DATE OF ISSUE 2/12/2009

SUPERSEDES 2/04/2000

				2/12/2001	2/04/2000
		SECTION I - GENERAL	INFORMATION		
nical Name & Synonyms	,		Trade Name & Synonyms DEAD SURE II AEROSOL		
Chemical Family: AQUEOUS PERMETHRIN SOLUTION	r		Formula Mixture> X		
Manufacturer's Name: CERTIFIED LABS, DIV. OF NCH	CORP.				
Address: BOX 152170 IRVING, TEXAS 75015					
Prepared By: C Williamson/Chemist		Product Code Number 5414		Emergency Phone Number 800-424-9300	
Chemical Name (Ingredients) HYDROTREATED LIGHT PETROLEU PROPANE ISOBUTANE \$ OIL MIST VALUES		FLAM/ASPHX 25	MG/M3\$ 1 5 MG/M3\$ 2 00 PPM 1 1000 PPM 2 T EST. 1 NOT EST. 2	NOT EST. 64742- NOT EST. 74-98- NOT EST. 75-28-	6
Boiling Point (F):	212	Specific Gravity		0.97	
Vapor Pressure (MM HG):	18	Color:		WHITE	
Vapor Density (Air=1):	0.63	Odor:		MILD PETROLEUM	
PH @ 100% :	6,0-8,0	Clarity:		OPAQUE	
olatile by Volume:	98.7	Evaporation Rate	(BU A/C=1):	0.54	
H2O Solubility:	APPRECIABLE	Viscosity:		SEMI-VISCOUS	
		SECTION IV - FIRE AND	EXPLOSION HAZAR	ช	
Flash Point >200 F / SETAFLASH		Flammable Limits ISOBUTANE	LEL 1.8%	UEL 98	

flash Point >200 f / SETAFLASH	Flammable Limits ISOBUTANE	LEL 1.8%	9 <i>8</i>	
Extinguishing Media X <foam <alcohol="" foam<="" td="" x=""><td>X <co2 <dry="" chemical<="" td="" x=""><td>x <water spray<="" td=""><td><other< td=""><td></td></other<></td></water></td></co2></td></foam>	X <co2 <dry="" chemical<="" td="" x=""><td>x <water spray<="" td=""><td><other< td=""><td></td></other<></td></water></td></co2>	x <water spray<="" td=""><td><other< td=""><td></td></other<></td></water>	<other< td=""><td></td></other<>	
Special Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR A SELF-CONTAINED THE SURROUNDING FIRE.	BREATHING APPARATUS AND FULL PROTECT	TIVE GEAR. EXTINGUISHING MED		
Unusual fire and Explosion Hazards: FIRE FIGHTING SHOULD BE DONE FROM UPWIND AEROSOL CANS CAN EXPLODE WHEN HEATED. FL	TO MINIMIZE POSSIBILITY OF EXPOSURE T AME EXTENSION IS 0 INCHES, BURNBACK I	O PESTICIDE, SMOKE AND FUME: IS O INCHES.	. EVACUATE PEOPLE DOWNWIND AS APPROPRI	ATE.
Aerosol Level (NFPA 30B): 1				
	cant 1=Slight 2=Moderate 3=High 4=			

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value:

NOT ESTABLISHED FOR MIXTURE. SEE SECTION II.

Effects of Overexposure:

-Actute (Short Term Exposure)
SKIN CONTACT: FROLONGED CONTACT MAY CAUSE IRRITATION SEEN AS ITCHING AND REDNESS. EYE CONTACT: MAY CAUSE IRRITATION SEEN AS TEARING AND REDNESS. INHALATION: AT LOW LEVELS, NO HARMFUL EFFECTS ARE EXPECTED. AT HIGH VAPOR CONCENTRATIONS, INHALATION CAUSES HEADACHE, DIZZINESS, SNEEZING, DROWSINESS, WEAKNESS, COUGHING, NAUSEA, FERIPHERAL NUMBNESS, PULMONARY IRRITATION CARDIAC ARRHYTHMIA WITH POSSIBLE ANESTHETIC EFFECTS FROM CENTRAL NERVOUS SYSTEM DEPRESSION (INTOXICATION) AND POSSIBLE DEATH MAY OCCUR. INGESTION: MAY CAUSE IRRITATION WITH POSSIBLE NAUSEA, VOMITING AND DIARRHEA.

-Chronic (Long Term Exposure)
) Human Chronic Effects known. Target organs: None known. There is no primary route of entry into the body. The primary route of exposure is skin development. Medical conditions aggravated by exposure are pre-existing respiratory and skin conditions such as asthma, emphysema, and JERMATITIS.

Primary Routes of Entry:

<--Inhalation

<---Ingestion

<--Absorption

Emergency and First Aid Procedures:

-Inhalation:

REMOVE FROM THE AREA TO FRESH AIR. SEEK MEDICAL ATTENTION IF RESPIRATORY IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

MATERIAL SAFETY DATA SHEET: DEAD SURE II AEROSOL

SECTION V - HEALTH HAZARD DATA (Continued) -Eye Contact: RINSE THE EYES WITH WATER. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING WITH PLENTY OF WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF TRRITATION DEVELOPS. WASH AFFECTED AREAS WITH PLENTY OF SOAP AND WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS GIVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. SEEK MEDICAL ATTENTION IF DISCOMFORT OCCURS THERE IS NO SPECIFIC ANTIDOTE. TREAT THE PATIENT SYMPTOMATICALLY. SECTION VI - TOXICITY INFORMATION Product Contains Chemicals Listed as Carcinogen or Potential Carcinogen By: ACGIH--> No IARC--> No OSHA--> No NTP---> No HYDROTREATED LIGHT PETROLEUM DISTILLATES (BASED ON SIMILAR COMPOUNDS) ORL-RAT-LD50: >5000 MG/KG SKN-RBT-LD50: >2000 MG/KG PROPANE AND ISOBUTANE MIXTURE NO APPARENT ILL EFFECTS IN BREATHING CONCENTRATIONS OF 5% FOR 2 HOURS. 4. CAUSES DROWSINESS IN SHORT TIME IN CONCENTRATIONS OF 1%. 4. SECTION VII - REACTIVITY DATA <--Unstable Stability: X <--Stable Conditions to Avoid: KEEP AWAY FROM EXCESSIVE HEAT, OPEN FLAME AND ANY SOURCE OF IGNITION. EXPOSURE TO TEMPERATURES ABOVE 130° F/64° C MAY CAUSE BURSTING. STRONG OXIDIZING AGENTS SUCH AS CHLORINE BLEACH AND CONCENTRATED HYDROGEN PEROXIDE. REDUCING AGENTS SUCH AS ACIDS AND BASES. OXIDES OF CARBON. X <--Will Not Occur <--May Occur Hazardous Polymerization: Conditions to Avoid: NONE KNOWN. SECTION VIII - SPILL OR LEAK PROCEDURES Steps to be Taken if Material is Released or Spilled: DUE TO THE NATURE OF THE AEROSOL PACKAGING, A LARGE SPILL IS UNLIKELY. FOR A SMALL SPILL, ABSORB WITH AN INERT MATERIAL AND TRANSFER ALL MATERIAL INTO A PROPERLY LABELED CONTAINER FOR DISPOSAL. WEAR APPROPRIATE PROTECTIVE CLOTHING. PREVENT PRODUCT FROM CONTAMINATING SOIL OR FROM ENTERING SEWACE AND DRAINAGE SYSTEMS AND BODIES OF WATER. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS. IF RECYCLING IS NOT AVAILABLE, WRAP THE CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISPOSE OF IN TRASH. DO NOT INCINERATE OR PUNCTURE. Neutralizing Agent: NONE KNOWN. SECTION IX - SPECIAL PROTECTION INFORMATION Required Ventilation: LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE MISTS OR VAPORS. Respiratory Protection: A MIOSH/MSHA APPROVED RESPIRATOR IN POORLY VENTILATED AREAS AND/OR FOR EXPOSURE ABOVE THE ACGIH TLV OR OSHA PEL OR WHERE MISTING EXISTS. Glove Protection: NEOPRENE OR NITRILE RUBBER GLOVES IF REPEATED OR PROLONGED SKIN CONTACT IS LIKELY. Eve Protection: SAFETY GLASSES WITH SIDE SHIELDS IF THE METHOD OF USE PRESENTS THE LIKELIHOOD OF EYE CONTACT. Other Protection: NONE UNDER NORMAL CONDITIONS OF USE. SECTION X - STORAGE AND HANDLING INFORMATION Refrigerated--> Indoors--> X Storage Temperature: Outdoors-Minimum Temperature: 35°F Maximum Temperature: 120°F Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY AREA. DO NOT TRANSPORT OR STORE BELOW 32°F/0°C. DO NOT ALLOW PESTICIDE TO CONTAMINATE FOOD, FEED, OR NATURAL BODIES OF WATER. USE WITH CAUTION AROUND HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY AND OPEN FLAME. CONTENTS UNDER PRESSURE.

KEEP OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT. FOLLOW THE LABEL DIRECTIONS. DO NOT APPLY THIS PRODUCT TO ENERGIZED

ELECTRICAL EQUIPMENT.

Page: 3

MATERIAL SAFETY DATA SHEET: DEAD SURE II AEROSOL

SECTION XI '- REGULATORY INFORMATION (Continued)

Chemical Name

CAS Number

Upper % Limit

re ingredients listed above are subject to the reporting requirements of 313 of Title III of the Superfund Amendments and Reauthorization Act of

Thease call 1-800-527-9919 for additional information if you are a California customer. This MSDS is not intended for users in the state of California.

SECTION XII - REFERENCES

 THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2000.

2 OSHA PET.

 SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, EIGHTH EDITION, RICHARD J. LEWIS, SR.

. VENDOR'S MSDS.

ALL COMPONENTS IN THIS PRODUCT CAN BE FOUND IN THE CURRENT TSCA INVENTORY.

IRR: IRRITANT, FLAM/FLAMM: FLAMMABLE, COMB: COMBUSTIBLE, CORR: CORROSIVE CARC: CARCINOGENIC, TOX: TOXIC, N/A:NOT APPLICABLE, N/E:NOT ESTABLISHED, COC: CLEVELAND OPEN CUP, FMCC: PENSKY-MARTIN CLOSED CUP, TCC: TAGLIABUE CLOSED CUP, LEL:LOWER EXPLOSION LIMIT, UEL: UPPER EXPLOSION LIMIT, NFPA:NATIONAL FIRE PROTECTION ASSOCIATION, LARC: INTERNATIONAL AGENCY FOR THE RESEARCH ON CANCER, NTP: NATIONAL TOXICOLOGY PROGRAM, OSHA: OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION, ACGH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, TLV: THRESHOLD LIMIT VALUE, PEL: PERMISSIBLE EXPOSURE LIMIT, STEL: SHORT-TERM EXPOSURE LIMIT, MID: MILD, MOD: MODERATE, SEV: SEVERE, MUT: MUTAGENIC, ASPHYX: ASPHYXIANT, PROC: PARTICULATES NOT OTHERWISE CLASSIFIED, SDT: STANDARD DRAIZE TEST, ORL: ORAL, HMN: HUMAN, IHL: IMPLALITON

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage, or disposal of the product.

• p. 6. . · . c, ·