Material Safety Data Sheet



Clear Image Concentrate

1. Product and company identification

Product name

: Clear Image Concentrate

Supplier

Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (800) 333-2156

Manufacturer

: Betco Corporation 1001 Brown Avenue

Toledo, Ohio 43607

Code

: 199

MSDS#

Print date

199

Validation date

9/14/2012. 9/14/2012.

In case of emergency

Chemtrec (800) 424-9300

Product type

; Liquid.

2. Hazards identification

Emergency overview

Physical state

: Liquid.

Color

Blue.

Odor

: Sweetish.

⊟ignal word

WARNING!

Hazard statements

HARMFUL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT

MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Precautionary measures

: Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing.

Keep container closed. Wash thoroughly after handling.

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Routes of entry

Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation

Toxic by inhalation.

Ingestion

Toxic if swallowed.

Skin

Toxic in contact with skin. Moderately irritating to the skin.

Eves

Severely irritating to eyes. Risk of serious damage to eyes.

Potential chronic health effects

Chronic effects

: Contains material that may cause target organ damage, based on animal data.

Carcinogenicity Mutagenicity No known significant effects or critical hazards.No known significant effects or critical hazards.

Teratogenicity

Developmental effects

No known significant effects or critical hazards.
No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Target organs

Contains material which may cause damage to the following organs: blood, kidneys, liver, lymphatic system, upper respiratory tract, skin, central nervous system (CNS), eye,

lens or cornea.

#409

1/9

2. Hazards identification

dical conditions aggravated by overexposure

: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients

Name	CAS number	%
Ethylene glycol monobutyl ether sodium dodecyl sulphate	111-76-2 151-21-3	5 - 10 1 - 5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Check for and remove any contact lenses. Immediately flush eyes with plenty of water Eye contact

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. In case of contact with eyes, rinse immediately with plenty of

water.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes Skin contact

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention immediately.

Move exposed person to fresh air. If not breathing, if breathing is irregular or if Inhalation

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical ingestion

personnel. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

No action shall be taken involving any personal risk or without suitable training. If it is Protection of first-aiders

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

No specific treatment. Treat symptomatically. Contact poison treatment specialist Notes to physician

immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Suitable Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

pecial protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

- ersonal precautions
- : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in untabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient	Exposure limits			
Ethylene glycol monobutyl ether	OSHA PEL 1989 (United States, 3/1989). Absorbed through skin. TWA: 25 ppm 8 hour(s). TWA: 120 mg/m³ 8 hour(s). NIOSH REL (United States, 6/2009). Absorbed through skin. TWA: 5 ppm 10 hour(s). TWA: 24 mg/m³ 10 hour(s). ACGIH TLV (United States, 2/2010). TWA: 20 ppm 8 hour(s). OSHA PEL (United States, 6/2010). Absorbed through skin. TWA: 50 ppm 8 hour(s). TWA: 240 mg/m³ 8 hour(s).			

199

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment,

#409

3/9

8. Exposure controls/personal protection

gineering measures

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 1-4 hours (breakthrough time): butyl rubber

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

ઝ. Physical and chemical properties

Physical state

: Liquid.

Flash point

: Closed cup: >100°C (>212°F)

Color

: Blue.

Odor

: Sweetish. : 7 to 10.5

pH Relative density

: 0.98

Dispersibility properties

: Easily dispersible in the following materials: cold water and hot water.

Solubility

: Easily soluble in the following materials: cold water and hot water.

10. Stability and reactivity

Chemical stability

: The product is stable.

Conditions to avoid

: No specific data.

Incompatible materials

: No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethylene glycol monobutyl ether	LC50 Inhalation Gas.	Rat	450 ppm	4 hours
	LD50 Dermal LD50 Oral	Rabbit Rat	220 mg/kg 250 mg/kg	-
sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-

Conclusion/Summary

: Not available.

Chronic toxicity

Conclusion/Summary

: Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethylene glycol monobutyl ether	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	_
out of	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
sodium dodecyl sulphate	Eyes - Mild irritant	Rabbit	-	250 Micrograms	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	_	10 milligrams	-
	Skin - Mild irritant	Dog	-	24 hours 25 milligrams	-
•	Skin - Mild irritant	Guinea pig	-	24 hours 25 milligrams	-
	Skin - Mild irritant	Human	-	2 hours 2 Percent	⊷
	Skin - Mild irritant	Human	-	504 hours 0.3 Percent	-
	Skin - Mild irritant	Human	_	24 hours 0.06 Percent	-
	Skin - Mild irritant	Human	-	22 hours 10 Percent	_
	Skin - Mild irritant	Human	-	47 hours 0.5 Percent	-
	Skin - Mild irritant	Human	-	18 hours 2 Percent	-
	Skin - Moderate irritant	Human	-	48 hours 3 Percent	-
	Skin - Moderate irritant	Human	-	24 hours 0.1 Percent	-
	Skin - Moderate irritant	Mouse	-	24 hours 25 milligrams	-
	Skin - Mild irritant	Pig	-	24 hours 25 milligrams	**
	Skin - Mild irritant	Rabbit	-	24 hours 50 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 25 milligrams	-

Conclusion/Summary

: Not available.

Sensitizer

9/14/2012.

Conclusion/Summary

: Not available.

Carcinogenicity

199 5/9 # 409

11. Toxicological information

Conclusion/Summary

: Not available.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Ethylene glycol monobutyl	A3	3	-	-	1	-
ether	1					

Mutagenicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

; Not available.

12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Ethylene glycol monobutyl ether	Acute EC50 >1000 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours	48 hours
Culci	Acute LC50 800000 ug/L Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 1250000 ug/L Marine water	Fish - Menidia beryllina - 40 to 100 mm	96 hours
sodium dodecyl sulphate	Acute EC50 1200 ug/L Marine water	Algae - Skeletonema costatum	96 hours
Soulum dodecyr sulphate	Acute LC50 900 ug/L Marine water	Crustaceans - Artemia salina - Adult - 25 days - 3.5 to 4.5 mm	48 hours
	Acute LC50 1400 ug/L Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 590 ug/L Fresh water	Fish - Cirrhinus mrigala - Larvae - 2 days - 4.5 mm - 51 mg	96 hours
	Chronic NOEC 3.2 mg/L Fresh water	Daphnia - Daphnia magna - Neonate - <24 hours	21 days
	Chronic NOEC >1357 ug/L Fresh water	Fish - Pimephales promelas - 7 days post-hatch	42 days

Conclusion/Summary

: Not available.

Persistence/degradability

Conclusion/Summary

: Not available.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

13. Disposal considerations

fer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory Information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	_	-		-
TDG Classification	Not regulated.	-	-	-		•
Mexico Classification	Not regulated.	_	-	_		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		•
IATA-DGR Class	Not regulated.			-		

PG* : Packing group

15. Regulatory information

HCS Classification

: Toxic material Irritating material Target organ effects

U.S. Federal regulations

: TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: sodium dodecyl sulphate; Ethylene glycol monobutyl ether

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: sodium dodecyl sulphate: Immediate (acute) health hazard, Delayed (chronic) health hazard; Ethylene glycol monobutyl ether: Fire hazard, Immediate (acute) health hazard,

Delayed (chronic) health hazard

Clean Water Act (CWA) 311: Formaldehyde; Sodium hydroxide

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602

: Not listed

Class I Substances

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

SARA 313

15. Regulatory information

	Product name	CAS number	Concentration
Form R - Reporting requirements	Ethylene glycol monobutyl ether	111-76-2	5 - 10
Supplier notification	Ethylene glycol monobutyl ether	111-76-2	5 - 10

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations Massachusetts

: The following components are listed: 2-BUTOXYETHANOL

New York

: None of the components are listed.

New Jersey

: The following components are listed: 2-BUTOXY ETHANOL; BUTYL CELLOSOLVE

Pennsylvania

: The following components are listed: ETHANOL, 2-BUTOXY-

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Formaldehyde	Yes.	No.	Yes.	No.

Canada inventory

: Not determined.

International regulations

International lists

: Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined.

Japan Inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons Convention List Schedule

II Chemicals

Chemical Weapons

Convention List Schedule III Chemicals

: Not listed

: Not listed


: Not listed

16. Other information

Label requirements

: HARMFUL IF INHALED, ABSORBED THROUGH SKIN OR SWALLOWED. CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Hazardous Material Information System (U.S.A.)



16. Other information

ution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of printing

: 9/14/2012.

Date of issue

: 9/14/2012.

ate of previous issue

: 12/28/2011.

Version

: 0.01

Prepared by

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

9/9



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

WHMIS CLASS D-2: Material causing other toxic effects.

Mild Irritant

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Product Name/ Trade name	Clear Image Concentrate (At	Code	199 At Dilution
	Dilution)		Not applicable.
Synonym	Non-Ammoniated Glass Cleaner	CAS # Validation 1	
Chemical Family	Not available.	Print Date	3/3/2010
Chemical Formula	Not applicable.	In Case of	Chemtrec (800) 424-9300
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	Emergency	Chemitec (600) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing		Protective Clothing
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		r rotective Clothing

Section 2. Com		

Name	CAS#	% by Weight	Exposure Limits	LC50/LD50
Water 2-Butoxyethanol	7732-18-5 111-76-2	>60 0-5	Not available. TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	Not available. ORAL (LD50): Acute: 1746 mg/kg [Rat].
Sodium Lauryl Sulfate Sodium Xylene Sulfonate Tetrasodium salt of ethylendiaminetetraacetic acid Perfume Oil Dye Nonionic Surfactant	151-21-3 1300-72-7 64-02-8 N/A N/A 66455-15-0	0-5 0-5 0-5 0-5 0-5 0-5	Not available.	Not available. Not available. ORAL (LD50): Acute: 3030 mg/kg [Rat]. Not available. Not available. Not available.

Section 3. Hazards Identification

Potential Acute Health This product is an eye irritant.

Effects

Potential Chronic Health Over-exposure by inhalation may cause respiratory irritation.

Effects

Carcinogenic Effects Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Eye Contact	Avoid contact with eyes In case of contact with eyes, rinse immediately with plenty of water Seek immediate medical attention.
Skin Contact	Avoid contact with skin and eyes After contact with skin, wash immediately with plenty o water. Seek medical attention if irritation persists.
Inhalation	Get to fresh air. Seek medical attention if irritation persists.
Ingestion	Seek immediate medical attention. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

Products of Combustion	Not available.	 	
Fire Fighting Media and Instructions	N/A	 	
Special Remarks on Fire Hazards	N/A		
Special Remarks on Explosion Hazards	N/A		

Small Spill and Leak	Safety glasses recommended. Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Avoid to runoff to sewers and waterways. Wear Protective Clothing. Absorb with inert Material. Contact you local Emergency planning commission for further instructions.
Personal Protection in Case of a Large Spill	Gloves. Boots. Safety glasses. Vapor respirator.

Section 7. Han	dling and Storage
Precautions	Keep out of reach of children. Keep locked up. For Institutional and Commercial Use
Incompatibility	Not Available
Storage	Keep out of the reach of children. Not for use or storage in or around the home.

Incompatibility	Not Available	
Storage	Keep out of the reach of children. Not for use or storage in or around the home.	
Section 8. Exp	osure Controls/Personal Protection	
Engineering Controls Good general ventilation should be sufficient for most conditions. Local exhaust ven		

Personal Protection

Eyes Eye contact with the concentrate is unlikely when dispensing through a dilution control system. Eye protection should be worn in operations where splashing may occur .

Body No special protective clothing is required.

may be necessary for some operations.

Respiratory A respirator is not needed under normal and intended conditions of product use.

Hands Although skin contact with concentrate is unlikely when using through a dilution control system, the use of gloves is recommended when using this product.

Protective Clothing (Pictograms)



Exposure Limits

2-Butoxyethanol TWA: 25 (ppm) TWA: 50 (ppm) from OSHA (PEL)

Consult local authorities for acceptable exposure limits.

Section 9. Physica	al and Chemical Properties		
Physical State and Appearance	Liquid.	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
рН	9 to 10 [Basic.]	Color	Blue.
Boiling/Condensation Point	212°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	0.96 (Water = 1)		
Vapor Pressure	25mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	100		
voc		***************************************	A CONTRACTOR OF THE CONTRACTOR
Evaporation Rate	>1 compared to Water		


Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	No specific information is available in our in presence of various materials.	database	e regarding the flammability of this product
Explosion Hazards in Presence of Various Substances	Not applicable		

Incompatibility with Not Available	Stability	The product is stable.	 	-,
Various Substances	Incompatibility with Various Substances	Not Available		

Routes of Entry	Skin. Eyes. Ingestion.
oxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Acute Effects on Humans	
Eyes	Irritant.
Skin	Slightly irritating
Inhalation	Slightly irritating to the respiratory system.
Ingestion	May cause headache, dizziness, nausea, vomiting, and diarrhea.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products Biodegradation	of Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disp	posal Considerations
Waste Information	Any method in accordance with allapplicable local, state, and federal regulations.
Waste Stream	Not available.



PIN UN, Proper Shipping Not applicable. Name, PG

Routes of Entry	Skin. Eyes, Ingestion.
'oxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Acute Effects on Huma	IIS
E	Eyes Irritant.
S	kin Slightly irritating
Inhalai	tion Slightly irritating to the respiratory system.
Ingest	tion May cause headache, dizziness, nausea, vomiting, and diarrhea.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of iodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	of Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disposal Considerations	
Any method in accordance with allapplicable local , state, and federal regulations.	
Not available.	

Section 14. Transport Information DOT (U.S.A) (Pictograms) TDG Classification Not controlled under TDG (Canada).

PIN UN, Proper Shipping Not applicable. Name, PG Maritime Transportation Not available.

pecial Provisions for arransport

Not applicable.

Section 15. Other Regulatory Information and Pictograms WHMIS (Classification) WHMIS CLASS D-2: Material causing other toxic effects. Regulatory Lists Other Regulations Other Classifications HCS (U.S.A.) Mild Irritant **USA Regulatory** Lists SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol DSD (EEC) International No products were found. **Regulations Lists Yazardous Material** Health National Fire Flammability **Information System** Protection Flammability (U.S.A.) Association Instability Health Physical Hazard (U.S.A.) The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Ald measures, and PPE associated with this product. Specific Hazard

Validated by CRushton on 3/2/2007. Verified by CRushton. Printed 11/30/2007. Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 Notice to Reade To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of sultability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/2/2007,

Clear Image Concentrate (At Dilution)

Page: 5/6

Continued on Next Page