

# SAFETY DATA SHEET

# 1. Identification

Product identifier	CLASS WAX
Other means of identification	
SDS number	577N-16F
Product code	HIL00503
Recommended use	Floor Wax
Recommended restrictions	Protect from Freezing
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
Contract norsen	St. Joseph, MO 64501 Regulatory Affairs
Contact person Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure, or accident involving chemicals.)
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	

**Prevention** Observe good industrial hygiene practices.

ResponseIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present<br/>and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If<br/>swallowed: Do not induce vomiting. Drink large quantities of water. Call a physician immediately.<br/>IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical<br/>advice/attention.StorageStore away from incompatible materials.DisposalBuyer assumes all risk and liability associated with disposal of this product (original concentration<br/>or dilution) in violation of applicable law. Waste from normal use may be sewered to a<br/>public-owned treatment works in compliance with applicable federal, state and local requirements.Hazard(s) not otherwise<br/>classified (HNOC)None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dipropylene glycol monomethyl ether		34590-94-8	3 - < 5
Other components below reportable le	evels		90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue to rinse for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Ingestion	If swallowed, do NOT induce vomiting. Rinse mouth thoroughly. Drink plenty of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
E Fire fighting measures	

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid prolonged exposure. Observe good industrial hygiene practices. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	PEL	600 mg/m3	
,		100 ppm	
US. ACGIH Threshold Lim			
Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	150 ppm	
	TWA	100 ppm	
US. NIOSH: Pocket Guide			
Components	Туре	Value	
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	STEL	900 mg/m3	
		150 ppm	
	TWA	600 mg/m3	
	No biological evenesus limite pe	100 ppm	
ological limit values	No biological exposure limits no	ted for the ingredient(s).	
posure guidelines			
US - California OELs: Skir	•	• · · · · · · · · · · · · · · · · · · ·	
US - Tennessee OELs: Sk	in designation	Can be absorbed through the skin.	
	nomethyl ether (CAS 34590-94-8) it Values: Skin designation	Can be absorbed through the skin.	
	nomethyl ether (CAS 34590-94-8) o Chemical Hazards: Skin designa	Can be absorbed through the skin. ation	
	nomethyl ether (CAS 34590-94-8) s for Air Contaminants (29 CFR 19		
Dipropylene glycol mor	omethyl ether (CAS 34590-94-8)	Can be absorbed through the skin.	
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilatior or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
lividual protection measure	s, such as personal protective eq	uipment	
Eye/face protection	Where splashing of concentrate	is a concern, use protective glasses with side shield	
Skin protection			
Hand protection	Not normally needed. For prolor	nged or repeated skin contact use suitable protective gloves.	
Other	Normal work clothing (long slee	ved shirts and long pants) is recommended.	
Respiratory protection	No personal respiratory protection	No personal respiratory protective equipment normally required.	
Thermal hazards	Wear appropriate thermal protect	ctive clothing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemica	I properties		
pearance	Tan emulsion		
Physical state	Liquid.		
,			

Form

Odor threshold	Not available.			
рН	7 - 9			
Melting point/freezing point	Not available.			
Initial boiling point and boiling range	200 °F (93.33 °C)			
Flash point	> 200.0 °F (> 93.3 °C)			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or exp	losive limits			
Explosive limit - lower (%)	Not available.			
Explosive limit - upper (%)	Not available.			
Vapor pressure	18.4 mm Hg			
Vapor density	0.86			
Relative density	Not available.			
Solubility(ies)				
Solubility (water)	appreciable			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
Viscosity	Not available.			
Other information				
Density	8.36 lbs/gal			
Percent volatile	89.5 - 90.5 %			
Specific gravity	1			
VOC (Weight %)	4.87 %			

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

Acute toxicity

Product	Species	Test Results
CLASS WAX		
Acute		
Dermal	<b>B</b> 111	
LD50	Rabbit	12610.3408 ml/kg estimated
		197.0954 g/kg estimated
Inhalation LC50	Cat	1572 9207 mg/L 1 Hours estimated
LC30		1573.8397 mg/l, 1 Hours estimated
	Mouse	14989.4512 mg/l, 10 Minutes estimated
		7088.6074 mg/l, 1 Hours estimated
		6983.1226 mg/l, 2 Hours estimated
	Rabbit	14873.418 mg/l, 1 Hours estimated
	Rat	16033.7549 mg/l, 2 Hours estimated
		10759.4941 mg/l, 1 Hours estimated
Oral		
LD50	Guinea pig	9277.2637 g/kg estimated
	Rat	9827.3574 ml/kg estimated
		110.9724 g/kg estimated
Components	Species	Test Results
Dipropylene glycol monomethyl e	ther (CAS 34590-94-8)	
Acute Dermal		
LD50	Rabbit	9.5 g/kg
Oral		
LD50	Rat	5.35 g/kg
	be based on additional component data	
Skin corrosion/irritation	Prolonged skin contact may cause ter Direct contact with eyes may cause te	
Serious eye damage/eye irritation		
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	akin consitization
Skin sensitization Germ cell mutagenicity	This product is not expected to cause	or any components present at greater than 0.1% are
	mutagenic or genotoxic.	or any componente precent at greater than e. 176 are
Carcinogenicity	This product is not considered to be a	carcinogen by IARC, ACGIH, NTP, or OSHA.
US. OSHA Specifically Reg Not listed.	ulated Substances (29 CFR 1910.1001	-1050)
Reproductive toxicity	This product is not expected to cause	reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	ı	
Ecotoxicity		onmentally hazardous. However, this does not exclude the
		can have a harmful or damaging effect on the environment

Material name: CLASS WAX HIL00503 Version #: 02 Revision date: 03-02-2015 Issue date: 12-11-2014

Product		Species	Test Results
CLASS WAX			
Aquatic			
Fish	LC50	Fish	3076.7673 mg/l, 96 hours estimated
* Estimates for product may b	be based on add	itional component data not shown.	
Persistence and degradability	No data is av	ailable on the degradability of this product.	
Bioaccumulative potential			
Mobility in soil	No data avail	able.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns		
Disposal instructions	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products		accordance with local regulations. Empty oues. This material and its container must b fuctions).	
Contaminated packaging			llow label warnings even after container is ry container for recycling or reconditioning.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

## ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## 15. Regulatory information

#### **US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous No chemical

# SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

#### US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. Massachusetts RTK Substance List

Dipropylene glycol monomethyl ether (CAS 34590-94-8)

- US. New Jersey Worker and Community Right-to-Know Act Dipropylene glycol monomethyl ether (CAS 34590-94-8)
- US. Pennsylvania Worker and Community Right-to-Know Law

Dipropylene glycol monomethyl ether (CAS 34590-94-8)

US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)\*

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

	• • •
Issue date	12-11-2014
Revision date	03-02-2015
Version #	02
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision Information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties