



DEMON EC INSECTICIDE

MSDS Number

BGZSG

National Stock Number

6840-00F009287

Product Name

DEMON EC INSECTICIDE

Manufacturer

ICI AMERICAS INC

Product Identification

Product ID:DEMON EC INSECTICIDE

MSDS Date:06/02/1988

FSC:6840

NIIN:00F009287

MSDS Number: BGZSG

Responsible Party

ICI AMERICAS INC

WILMINGTON , DE 19897

Emergency Phone: (302) 575-3000

Info Phone: (302) 575-3000

Cage: 7W772

Contractor

ICI AMERICAS INC AGRICULTURAL CHEMICAL DIV

WILMINGTON, DE 19897

US

302-886-3000/800-424-9300(CHEMTREC)

Cage: 7W772

Ingredients

NON-HAZARDOUS FOR INGREDIENTS

Fraction By Weight: 10%

SOLVENT-REFINED & HYDROFINISHED PARAFFINIC OIL

Fraction By Weight: 20%

ACGIH TLV: 5 MG/CUM

XYLENE

CAS: 130-20-7

RTECS: ZE2190000

Fraction By Weight: 44.7%

OSHA PEL435 MG/CUM

ACGIH TLV: 435 MG/CUM



(T,-)A-CYANO-(3-PHENOXYPHENYL)METHYLO(T,-)-CIS,

CAS: 52315-07-8

RTECS: GZ1250000

Fraction By Weight: 25.3%

OSHA PEL435 MG/CUM

ACGIH TLV: 435 MG/CUM

Hazards

LD50 LC50 Mixture:ORAL LD50 RAT 0.35 MG/KG IN MALES.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY/CNS

DEPRESSION/HEADACHE/DIZZINESS/NAUSEA/MUCOUS MEMBRANE IRRITATION OF EYES, NOSE, THROAT & RESPIRATORY PASSAGES. SKIN: IRRITANT, SENSITIZER, PARESTHESIA, NUMBNESS, PRICKLING. IF ASPIRATED IN THE LUNGS DURING VOMITING, MAY INDUCE SEVERE LUNG CONGESTION RESULTING IN LABORED BREATHING/COMA/DEATH.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: NAUSEA/VOMITING/ABDOMINAL

CRAMPS/TENDERNESS/DIARRHEA/CONVULSION/UNCONSCIOUSNESS/COMA/RESPIRATORY FAILURE. SKIN: TINGLING/BURNING/PRICKLING/NUMBING

SENSATION/REDNESS/ITCHING. INGESTION: DAMAGE TO OTHER ORGANS

LIVER, KIDNEY, BLOOD FORMING ELEMENT, CNS

DEPRESSION/GASTROINTESTINAL DISTURBANCE.

Medical Cond Aggravated by Exposure:CYPERMETHRIN TECHNICAL MATERIAL IS

ABSORBED THROUGH HUMAN SKIN IN SLIGHTLY TOXIC AMOUNTS. INDUCING

VOMITING TO REMOVE THIS MATERIAL FROM STOMACH CAN INCREASE THE RISK OF PNEUMONITIS/PULMONARY EDEMA.

First Aid

First Aid:SKIN: WASH OFF W/PLENTY OF SOAP & WATER. WASH CONTAMINATED CLOTHING/DECONTAMINATE FOOTWEAR BEFORE REUSE. EYES: FLUSH W/PLENTY OF WATER. INGESTION: DON'T INDUCE VOMITING. GIVE 1-2 GLASSES OF WATER TO DRINK. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE VICTIM TO FRESH AIR. IF BREATHING IS LABORED, GIVE OXYGEN. CONSULT MEDICAL PERSONNEL.

Fire Fighting

Flash Point Method:SCC

Flash Point:117F

Lower Limits:1.1%

Upper Limits:6.6%

Extinguishing Media:CO2, FOAM, DRY CHEMICAL, HALON 1211.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:WATER SPRAY MAY BE USED TO COOL CONTAINERS, BUT A WATER STREAM MAY SPREAD FLAMES.

Accidental Release

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION/VENTILATE SPILL AREA. WEAR SKIN, EYE, & RESPIRATORY PROTECTION DURING CLEANUP. CONTAIN SPILL. KEEP OUT OF SEWERS/DRAINS. SOAK UP LIQUID W/ABSORBENT & SHOVEL INTO A WASTE CONTAINER. COVER CONTAINER/REMOVE FROM WORK AREA.

Handling

Handling and Storage Precautions:PREVENT SKIN & EYE CONTACT. AVOID BREATHING VAPORS OR AEROSOLS. DON'T STORE NEAR FEED, FOOD, OR WITHIN THE REACH OF CHILDREN.

Other Precautions:EMPTY CONTAINER RETAINS HAZARDOUS RESIDUE. MAY CONTAIN EXPLOSIVE VAPORS. KEEP AWAY FROM HEAT, SPARKS & FLAMES. DON'T WELD OR USE A CUTTING TORCH ON OR NEAR CONTAINER. PUNCTURE OR OTHERWISE DESTROY EMPTY CONTAINER BEFORE DISPOSAL.

Exposure Controls



Respiratory Protection: IF NEEDED, USE MSHA/NIOSH APPROVED RESPIRATOR FOR PESTICIDES.
Ventilation: USE LOCAL EXHAUST TO MINIMIZE EXPOSURES.
Protective Gloves: IMPERVIOUS
Eye Protection: GOGGLES, FULL FACESHIELD
Other Protective Equipment: EYEWASH STATION & SAFETY SHOWER. APRON, ARM COVER, OF FULL BODY SUIT.
Work Hygienic Practices: GOOD INDUSTRIAL HYGIENE PRACTICE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: 368F
Vapor Pres: 18
Vapor Density: 3.5
Spec Gravity: 0.955
pH: 4.6
Solubility in Water: EMULSIFIABLE
Appearance and Odor: DARK BROWN LIQUID WITH HYDROCARBON ODOR.

Stability

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid: KEEP AWAY FROM HEAT, SPARKS & FLAMES.
Hazardous Decomposition Products: CO, CO₂, NITROGEN OXIDES, AMMONIA, SULFUR OXIDES, HALOGEN, HALOGEN ACID, POSSIBLE TRACE AMTS OF CARBONYL HALIDE.

Disposal

Waste Disposal Methods: THIS MATERIAL IS HIGHLY TOXIC TO FISH. DON'T CONTAMINATE WATERWAYS BY CLEANING IF EQUIPMENT/BY DISPOSAL OF WASTES. UNTREATED EFFLUENT SHOULDN'T BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES/STREAMS/POND. DISPOSE OF IN A FACILITY FOR HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.